	Type	Hits	Search Text	DBs
1	BRS	1695	711/133,159,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	17	711/133,159,170.ccls. and ((valid$3 or real$4 or authent$5) with evict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	647311	711/133,135, "144", "145", "159,170".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	25	(711/133,135, "144", "145", "159,170".ccls.) and ((valid$3 or real$4 or authent$5) with evict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	497118	711/135, "144", "145".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	25	(711/135, "144", "145".ccls.) and ((valid$3 or real$4 or authent$5) with evict$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	705	cache with (coherency near3 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	3	711/133,159,170.ccls. and (evict$3 with ("same" near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	21	711/133,159,170.ccls. and (evict$3 with "same")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
10	BRS	3	711/133,159,170.ccls. and (evict$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	7	"711"/$.ccls. and (evict$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	8	evict$3 with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	11	"711"/$.ccls. and (castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	16	(castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	19	(castout or cast-out or (cast adj out) or evict$3) same partial same (cache near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	8	(cache with (coherency near3 protocol)) same (MEI and MESI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
19	BRS	0	cache same ((evict$3 near3 (main adj memory)) with valid$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	((evict$3 near3 (main adj memory)) with valid$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	29	cache same (evict$3 near3 (main adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	374	(I/O or (input adj output) or IO) with (cache near3 (store or save))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	37	711/133,159,170.ccls. and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	28	((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	19	"711"/$.ccls. and ((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit) same (evict$3 or replac$3 or (write adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	IS&R	2	("20030084253").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
28	BRS	7	cache same ((evict$3 near3 dirty) with valid$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	127	cache same (evict$3 near3 dirty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	12	cache same (evict$3 near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1	(cache near3 evict$3) same (writ$3 near3 (full$3 or full) near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1	(valid$4) same (writ$3 near3 (full$3 or full) near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	26	(valid$4) same (writ$3 near3 (full$3 or full) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	44	(evict$3) same (partial or full) near3 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	111	(evict$3) same ((single or one) near3 (write or transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	89	(evict$3) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR

	Type	Hits	Search Text	DBs
37	BRS	6674	(valid$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	1006	"711"/$.ccls. and (valid$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	4306	711/133,135,144,145,159, 170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	204	S43 and (valid$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

MR